

Initial Receptor Evaluation

This submission documents actions taken to evaluate the potential for human and ecological exposure to contamination at a site.

Things you need to know...

- Complete the initial Receptor Evaluation (RE) form using information you know about the site at the time the form is submitted.
- If you completed receptor evaluation activities (such as a ground water investigation) a long time ago you must still complete the initial RE form, reference the completed work and confirm that the evaluation is still valid.
- If the discharge at the site was never reported to DEP, complete the initial RE form and the “Confirmed Discharge Notification” form and the “LSRP Notification of Retention or Dismissal” form.
- Who does not need to submit by March 1, 2012?
 - Unregulated heating oil (UHOT) cases (primarily homeowner tank cases),
 - Any person that received a final remediation document (NFA or RAO), or
 - Any person that began remediation after March 1, 2010

The Receptor Evaluation Form and instructions are available at <http://www.nj.gov/dep/srp/srra/forms/>

Refer to the quick reference guide for the Receptor Evaluation Form at http://www.nj.gov/dep/srp/srra/training/matrix/new_responsibilities/receptor_eval.pdf

Don't forget if you initiated remediation after March 1, 2010...

The initial Receptor Evaluation is required to be submitted to the Department in compliance with the following time frames:

- The regulatory time frame for this requirement is 1 year from when remediation was/or should have been initiated, and
- The mandatory time frame for this requirement is 2 years from when remediation was/or should have been initiated.

CHRIS CHRISTIE
Governor

KIM GUADAGNO
Lt. Governor

BOB MARTIN
Commissioner

NJ Department of Environmental Protection
Site Remediation Program
401 East State Street
Trenton, NJ 08625
www.nj.gov/dep/srp/srra

